










**DBL-6255M** 

### **Product Feature**

- Support WeChat, alipay and other payment bar code
- New decoding chip, interpretation of a variety of 1D/2D barcode
- Higher decoding accuracy
- Wire life more durable
- Plug and play, simple setup, fast use

## **Product Size**







## **Specification**

#### **Performance Parameters**

Red LED aiming light, white LED illumination Light Sources:

Supported 1D: Code 128, EAN-13, EAN-8, UPC-E, UPC-A, ISBN, ISSN, Code11, Symbologies: ITF-25(Interleaved 2 Of 5), Code39, Code93, Code32, Codabar,

Matrix 2 of 5, Industrial 25, IATA 25, MSI Plessev.

2D: QR Code, Micro QR, Data Matrix, PDF417, Micro PDF417, Aztec.

Scan Type: Image CMOS 640\*480 Resolution: ≥10% Contrast:

Manual/Continuous/Automatic Induction Scanning Scan Mode:

Precision: ≥5mil

Yaw±55°, Rotation 360°, Pitch±55° Scan Angle:

Depth of scan field: EAN-13 30mm-250mm (13mil)

1/5million Error Rate:

Interface: USB-HID, USB-COM, RS232

## **Physical Parameters**

Dimensions: 83mm\*70mm\*172mm

Weight: 112g Material: ABS+PC Cable Length: 2M

# **Environmental Parameters**

Operating Temperature: -20°C~50°C Storage Temperature: -40°C~70°C

Relative Humidity: 5% ~95% RH(Non-condensing)

Shock Resistance: Withstands multiple times 1.5 meters drops to concrete

Ambient Lighting: 0~100000LUX

#### **Electronic Parameters**

Working Voltage: DC5V±5% Working Current: ≥135mA

# **Application**







